

Kornit Avalanche Platform Industrial printing platform for high volume and quick turnaround















## Kornit Avalanche Platform

The leading platform for direct-to-garment printers, offering high profitability with excellent print quality and low ink consumption

- Superior printing on multiple fabric types, including light and dark garments
- No need for pretreatment fluids and heat press
- Eco-friendly process complies with strict industry standards
- Patented dual-bridge architecture for maximum efficiency
- The perfect solution for growing production demand
- Ink recirculation and humidity system for print - and production consistency
- Fully automated maintenance procedures for seamless workflow and long-term reliability -

Support agreement offering

# Prime Result Market Result

Dimensions138 X 91 X 67 in<br/>350 X 230 X 170 cmMax WeightApprox. 2200 kg / 4850 lbPower Requirements400/208 VAC, 50/60 Hz<br/>3 phase, 3W+N+PECompressed Air<br/>Pressure6 – 8 bar (90 – 116 psi) regulated

**Operating Conditions** Temperature: 18°C-30°C / 64.4°F-86°F Humidity: 45% - 65%

> Avalanche HDK Avalanche HD6

Avalanche DC


Ink Consumption Chart

\* Not integrated in Avalanche DC PRO

#### The Kornit Avalanche platform: 3 configurations to match your exact business needs

Technical Specifications	Kornit Avalanche HDK Exceptional cost per print for medium to large printing businesses	Kornit Avalanche HD6 Exceptional cost per print and print quality for medium to large printing businesses	<ul> <li>Kornit Avalanche DC PRO</li> <li>The only digital discharge + white solution in the market</li> <li>Excellent hand feel</li> <li>Ideal for the fashion and clothing industries</li> </ul>
Maximum production output*	Dark garment : 85 (33X33 cm / 13X13 in) Light garment ≥ Dark +25%	Dark garment : 85 (33X33 cm / 13X13 in) Light garment ≥ Dark +25%	Dark garment: 75 (A4)
Ink Set:	Water-based Kornit NeoPigment™ Eco-Rapid Ink	Water-based Kornit NeoPigment™ Eco-Rapid Ink	Water-based Kornit NeoPigment™ Ink
Ink Channels	4 colors CMYK + White	6 colors CMYKRG + White	4 colors CMYK + White + Discharge
Ink Recirculation	Integrated <b>R</b> series	Integrated <b>R</b> series	N/A
Printing Resolution	1,200 dpi	1,200 dpi	630 dpi
RIP Software**	Quick P Designer / ColorGate	Quick P Designer / ColorGate	Quick P Designer
Humidity System	Embedded	Embedded	Optional as an upgrade
Customer Empowerment Service Offering	$\checkmark$	$\checkmark$	N/A

\* Measured in High Productivity print mode, prints/hour, with pretreatment included \*\* optional



#### Just press print:

Place garment
Press print
Dry and ship

### Patented integrated pretreatment

- Eliminates the need for any external pretreatment process!
  - Beautifully prints on multiple fabric types, garment sizes, color combinations, and applications.

#### One solution. Endless possibilities.

#### **Printing System**

Solutions for businesses of any size and location

#### Ink and Consumables

Patented NeoPigment<sup>™</sup> eco-friendly ink set for multiple fabric types

#### Workflow and Software

Comprehensive web-to-print solutions for file preparation, color management, printing, and analytics



Positive list of GOTS

For product specific certification information please contact us.

**TEXTILES** 

#### \* Delivered with 6-month warranty

Kornit Digital Ltd (Head Office) Israel Tel: +972.3.908.5800 Email: kornit@kornit.com Kornit Digital Americas Toll Free: +888.456.7648 Tel: +1.262.518.0200 Email: KDAM-info@kornit.com Kornit Digital Europe GmbH Germany Tel: +49.211.20055.0 Email: KDEU-info@kornit.com Kornit Digital Asia Pacific Ltd Hong Kong Tel: +852.3977.9300 Email: apac@kornit.com Kornit Digital China Office Shanghai, China 20001. Tel: +86.21.6302.7757 Email: apac@kornit.com

Print quality may vary on different fabrics. These products (printers and auxiliary subsystems), their use and chemistries involved (printing inks and ink fixation reagents) are protected by one or more of the following patents and/or pending patent applications: IL 139482; USP 7,607,745; USP 7,954,921; EP 1740388; IL 177323; USP 8,292,395; USP 8,801,127; EP 2481593; EP 1893413; IL 187124; IL 143790; IL 162231; IL 179765; EP 1750945; USP 8,540,358; EP 2464697; India 185/MUMNP/2012; CN ZL201080045541.6; US 20150284905.] The data in this document was valid at the time of publishing, and is subject to change without notice. Kornit Digital reserves the right to modify its products and change their specifications at any time, without prior notice and further obligation.

#### Accessories

Multi-size pallets, upgrades, and more

#### **Global Support\***

Multilingual services including support plans, upgrades, training, maintenance, and more

#### Applications

OEKO-TEX® CONFIDENCE IN TEXTILES ECO PASSPORT Beginner to advanced-level training, support, and R&D for innovative applications



60-BRCH-1951 REV

Digital

bonding

matters